



Product environmental attributes - THE ECO DECLARATION

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	ITSTATABLE
Contact information *	Nadia Martin (USA)	LHXIVIARK
		TIM TIM
Internet site *	www.lexmark.se/	
	www.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Type of product * Multi-Function Color Laser Printer				
Commercial name *	Lexmark X940e				
Model number *	X940e				
Issue date *	7/22/2008				
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality C	control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	X940e		
Issue date *	7/22/2008	Logo	LEXMARK

Product	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in EU 2002/95/EC and its amendments		Ш	
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (EU: Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	X		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)		\boxtimes	
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\square		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)			
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	X		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	\boxtimes		
P5.3*	The product packaging material is free from CFC/HCFC.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\boxtimes		

Model number *	X940e		
Issue date *	7/22/2008	Logo	EXMARK

Product	environmental a	nttributes - Market req Requirem	uirements - Environmental conscious design				
Item	*=mandatory to f		ation regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design Disassembly, re						
P7.1*		o be treated separately	are easily separable				
P7.2*		in covers/housing have			₩		
P7.3*			rial or of easily separable materials.		+	-	
P7.4*			1 1		井		
		-	according to ISO 11469 referring ISO 1043.		Щ.		
P7.5			or have inlays that can be removed with commonly available tools.		Щ.		
P7.6*		<u> </u>	rement does not apply to safety/regulatory labels).		Ш	Ш	
P7.7*	Product lifetime		ssor, memory, cards or drives		$\overline{}$		
P7.8*		e done using commonly	•		 		
P7.9.		available after end of pr				Щ.	
P7.10		ole after end of product	-				
D7 44*		bstance requirements	3				
P7.11*	Material type: AE	using material type:	Material type: HIPS Material type: PC/ABS				
P7.12*	Flectrical cable in	nsulation material of po	wer cables are halogen free (including PVC)				
P7.13*			gnal cables are halogen free (including PVC)	-	\overline{X}	-	
P7.14		plastic parts >25g are			$-\frac{\square}{\square}$		
			-				
P7.15			onents) >25g are halogen free				
P7.16	FR(40)		ants in cover / housing plastic parts >25g according ISO 1043-4:		Ш		
P7.17	ISO 1043-4: FR(16)	ants in printed circuit boards (without components) >25g according				
P7.18		ed material in plastic pa					
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, R50/51/53 and R60/61 (67/548/EEC)						
P7.20	Light sources are free from mercury If mercury is used specify: Number of lamps: 1 and max. mercury content per lamp: 3.2 mg						
P8	Batteries	a specify: Number of la	imps: 7 and max. mercury content per lamp: 3.2 mg	_	-		
P8.1*		contain batteries defin	ned as hazardous according to 91/157/EEC		П		
P8.2*	Battery chemical composition: <i>Lithium Manganese Dioxide</i> -						
1 0.2	(LiMnO2)		Battery offermour composition. Entrain mangarese Broxide				
P8.3	Batteries meet th	e requirements of the f	following voluntary program/s:				
P9	Energy consum						
9.1			els or energy consumptions have been measured:	- ·	,		
Mode	Power level at * 230 Volts	Time (s) to <mode></mode>	Mode description	Reference Standard		n.a.	
On-max	W		*	*	<i></i>		
On-	* 700 W	to	* Printing	*ESTAR)		
normal	700 11	.0	, many				
On-idle	190 W	to	* Ready	*ESTAR			
Save 1	* 90 W	to	* Low Power Mode	*ESTAR)		
Save 2	21 W	to	* Power Saver / Sleep Mode	*ESTAR			
Off 1	* 0.5 W	to	* Plugged in Off Mode	*ESTAR)	H	
Off 2	W	to	*	*		\boxtimes	
No load	* W		External power supplies/charger plugged in but disconnected	*		\boxtimes	
	* FCC 20 I-\A/I- /-	Tomical Factor Consum	from the product	*50745	•		
TEC	•	Typical Energy Consur		*ESTAR		Щ	
P9.2*		0,	tion is provided with the product.	\boxtimes			
P9.3	The product mee ENERGY STAR® Others specify:		ents of the following voluntary program/s:				

Model n	umber *	X940e					
Issue da	ssue date * 7/22/2008 Logo		Logo	LEXMARK			
						•	TN
Product	environm	ental attributes - Market requirements	(continued) Requirement m	net			
Item	*=manda	tory to fill in. Additional information regar	ding each item may be found	under P14.	Yes	No	n.a.
P10	Emissio	ns					
	Noise e	mission - Declared according to ISO 92	96				
		_					
P10.1	Mode	Mode description	Mode description Declared Declared A-weighted				1
			A-weighted	sound pressure level L _{pAm} (dB)			

P10	Emissions					
	Noise emission	- Declared according to ISO 9296				
P10.1	Mode	Mode description	Declared A-weighted sound power level L _{WAd} (B)	d sound pressure level L _{pAm} (dB) er Operator position Bystander posi		
					erator attended)	
	Idle	* Ready	* 4.9	33		
	Operation	* Printing	* 6.9	52		
	Other mode					
	Measured accord	ding to: 🔀 ISO 7779 🔲 ECMA-74				
_				h L _{pAm} measurement distance		
P10.2	'	ets the acoustic noise requirements of the fo	ollowing voluntary	program/s: RAL-UZ-122		
5.0.0		sions from printing products				
P10.3*	Test performed a The test covers:	according to ECMA-328 standard, other Dust Ozone Styrene				
P10.4		ets the chemical emission requirements of the				
	Electromagnetic emissions					
P10.5						
P11	Consumable materials for printing products					
P11.1*	A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required (see P4.3).					
P11.2*	Paper containing recycled fibres that meets the requirements of EN12281 can be used.					
P11.3*	2-sided (duplex) printing/copying is an integrated product function.					
P12		computing products				
P12.1*	and EN-ISO1340	rstem meets the ergonomic requirements of 06-2 for flat panel displays.		8 for CRT displays		
P12.2*	The product key	board meets the requirements of ISO 9995	and EN 29241-4.			
P12.3*	The computer in	put device meets the requirements of ISO 9	241-9.			\boxtimes
P13	Packaging and					
P13.1*	Product packagii	ng material type(s): Corrugated ng material type(s): Expanded Polystyren ng material type(s): Wood Pallet	weight (kg): weight (kg): 0 weight (kg): 1).318		
P13.2*		packaging is halogen free (including PVC)	weight (kg).	0.74	\square	
P13.3*		et documentation do not contain chlorine ble	ached paper			Ħ
P13.4*	User and product documentation contain recycled paper					H
P14	Additional infor	, , ,				
		pany information and company environn	nental policy may	/ be found at http://environi	ment.lexmark.co	om
	Specific printer	and supply item recycling information	for your area may	/ be found at http://lexmark.	com/recycle	
	*P.2.3 - Batterie	en is connected to REPA and El-kretsen as used within this product are non-haza		empted from including remo	oval instructions	s in
	user's manuals per Article 11 of the 2006/66/EC Battery Directive.					

NOTE
Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.